

# TubToday 3052IS ALUMINUM Walk In Bathtub



Acrylic Inward Swing Door  
Walk In Bathtub  
Specifications

## Inward Swing Door

**Actual Size:** 29.5x52x40

**Seat Width:** 21 inches

**Shipping Size:** 32x54x50


**Shipping Weight:** 275 lbs.

**Net Weight:** 205 lbs.

**Water Capacity:** 75 gal.

**Occupied:** 35-55 gal.

**Drainage Time:** +/- 80 sec at ideal home plumbing conditions (occupied)



### Included Features

1. Acrylic Tub Shell:
  - Gloss White Finish
  - Fiberglass gelcoat reinforced
2. Stainless Steel Frame with Adjustable Leveling Legs
3. Brushed aluminum and frosted finish tempered glass door
4. Two (2) front and one (1) reversible, removable end access panel
5. Stainless steel chrome finish U-shape deck & wall mount grab bar
6. Extension panel, filler for 60" alcove installations
7. Stainless steel brushed finish towel bar

### Floor Drains

Two (2) 2" T-type PVC drains and two (2) overflows and drain openers with extended handles

### Jetting Options

1. Hydro Massage System
  - Hydro Massage Pump 8.1AMP 900W
  - Hydro massage intensity dial air control
  - In-line water heater 9AMP 1000 W
  - 14 jets and a On/Off push control
2. Air Massage System (Available only with Hydro)
  - Air Massage Pump 4.5AMP 500W
  - 3 Speed Pump
  - Autopurge (Activates 20 minutes after pump shutdown)
  - 16 jets and a On/Off push control
3. Infusion Microbubble Therapy (available only with Hydro)
  - On/Off Push control

Note: LED Chromatherapy Light .04 AMP with On/Off Push Control comes included with the following packages: dual (hydro + air), hydro + microbubble

### Available Packages

1. Dual Jetting (Air + Hydro) + LED Chromatherapy
2. Hydro (No LED)
3. Hydro + Microbubble Therapy
4. Hydro + Independent Foot Massage

### Optional Features

1. Heated Seat and Backrest 4AMP 470W
2. Digital Controls
3. Aromatherapy

### Faucet Options

#### Five-Piece Fast Fill Faucet Set

- Up to 18 GPM @ 60 PSI at ideal in home plumbing conditions
- 2x 3/4" Supply lines, 5' length
- Pull out, hand held, chrome plated hand shower with 5 ft. retractable stainless steel braided hose

#### Two-Piece Fast Fill Faucet Set

- Up to 16 GPM @ 60 PSI at ideal in home plumbing conditions
- 2x 3/4" Supply lines, 5' length
- Pull out, hand held, chrome plated hand shower with 5 ft. retractable stainless steel braided hose

### Electrical Requirements:


1 or 2 20 amp GFCI dedicated electrical circuits

### Warranty


- Lifetime limited warranty on acrylic walk in tub shell, frame, and door
- 5 year parts warranty

# TubToday 3052IS ALUMINUM Walk In Bathtub



Acrylic Inward Swing Door  
Walk In Bathtub  
Specifications



TubToday 2" T-type Dual Port Floor Drain comes equipped with dual (2) drains




## Above the floor drain installation options



The drain positioning should be determined by a licensed plumber. The pictures above only show a few of the many possible options for drainage setup. For faster drainage all 4 ports may be connected to house drain.

## Below the floor drain installation options



The pictures above only show a few of the many possible options for drainage setup. For faster drainage all 4 ports may be connected to house drain. Discuss options with your contractor.